EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	266	(generic canonical internal common neutral third intermediate) with format with ethernet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 10:11
L2	216	1 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 10:11
L3	158	2 and (bridg$3 rout$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 07:04
L4	231	("5490252").URPN.	USPAT	OR	ON	2007/08/16 08:55
L5	6	4 and (generic canonical internal common neutral third intermediate) with format with ethernet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 08:59
L6	149	(including send$3 attach$3) with (ethernet adj header) with packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 09:00
L23	108	bridg$3 and (generic canonical internal common neutral third intermediate) with format with ethernet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 10:11
L24	95	23 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 10:28
L25	35	(bridg$3) with (different dissimilar disparate distinct) with (media channel interface) with ethernet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 10:27
L26	1	(bridg$3) with (different dissimilar disparate distinct) with (media channel interface) with (common third generic canonical neutral intermediate) with ethernet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 10:28

EAST Search History

L27	72	(bridg$3) with (different dissimilar disparate distinct) with (media channel interface) and (common third generic canonical neutral intermediate) with ethernet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 10:28
L28	61	27 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 10:28
S1	6140	370/401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 16:55
S2	1944	S1 and bridg$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 09:37
S3	1154	S2 and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 09:38
S4	17	S3 and media adj channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 09:40
S5	52	S1 and bridg$3 with (different dissimilar disparate distinct) with (media channel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 16:21
S6	992	bridg$3 with (different dissimilar disparate distinct) with (media channel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 09:55
S7	775	S6 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 09:56
S8	52	S7 and (370/401.ccls. 370/428.ccls. "370"".""466".ccls. 370/467.ccls. 370/469.ccls. 370/471.ccls. 370/474.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 09:59

S9	3275	bridg$3 with (different dissimilar disparate distinct) with (media channel protocol network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 10:08
S10	2574	S9 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 14:14
S11	290	S10 and (370/401.ccls. 370/428. ccls. "370"".""466".ccls. 370/467. ccls. 370/469.ccls. 370/471.ccls. 370/474.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 10:08
S12	177	iwf and (370/401.ccls. 370/428. ccls. "370"".""466".ccls. 370/467. ccls. 370/469.ccls. 370/471.ccls. 370/474.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 10:08
S13	304	(bridg$3 iwf) with (different dissimilar disparate distinct) with (media channel protocol network) and (370/401.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 10:22
S14	254	S13 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 10:22
S15	366	(bridg$3 iwf interwork$3) with (different dissimilar disparate distinct) with (media channel protocol network) and (370/401. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 10:22
S16	297	S15 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 07:02
S17	5	S16 and (virtual adj bridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 10:59
S27	19	(sachin near desai).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 13:04

S28	2	ep-1182828-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 13:04
S29	5645	interfac$3 with process$3 with bridg$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 14:00
S30	4184	S29 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 16:49
S32	2305	S30 and switch$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 14:01
S33	47	S5 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 14:21
S36	237	bridg$3 with (different dissimilar disparate distinct) with (media channel interface) with process$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:07
S37	190	S36 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:07
S38	27	S37 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:08
S39	245	(bridg$3 iwf) with (different dissimilar disparate distinct) with (media channel interface) with process$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 10:21
S40	198	S39 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:07

S41	34	S40 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:13
S42	0	ep-0456201-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:14
S43	1837	blip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:14
S44	186	blip and (bridge router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:14
S45	25000	metadata	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 13:48
S46	527	metadata and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 14:29
S47	127	S46 and bridg$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 15:00
S48	63	S47 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 14:22
S49	87	metadata with media adj (channel interface)"."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 14:26
S50	63	S48 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 14:23

S51	28	S49 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 14:28
S52	8633	metadata with(media channel interface network)"."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 14:26
S53	634	metadata with (different dissimilar disparate distinct) with (media channel protocol network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 14:43
S54	376	S53 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 14:44
S55	9	S54 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 14:44
S56	1474	metadata with (addressing header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 14:44
S57	80	S56 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 14:44
S58	30	S57 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 15:01
S59	16	bridg$3 with header with translat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 15:01
S60	11	S59 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 15:43

S61	37	("20010005379" | "20010024440" | "20010050918" | "20020001301" | "20020001302" | "20020029302" | "4291198" | "4539652" | "4551832" | "4748656" | "4817086" | "5014266" | "5179586" | "5181239" | "5195086" | "5309509" | "5329579" | "5333266" | "5632017" | "5790546" | "6026088" | "6070070" | "6101170" | "6154465" | "6181694" | "6185520" | "6198920" | "6208658" | "6246679" | "6266340" | "6266341" | "6289025" | "6292482" | "6298045" | "6343074").PN. OR ("6625169"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/14 15:42
S62	414	(packet network protocol) with type with metadata	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/14 16:00
S63	198	S62 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 16:12
S64	1008	(packet network protocol) with type with addressing	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/14 16:00
S65	836	S64 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 16:03
S66	2	metadata with ethernet with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 16:04
S67	14	metadata same ethernet same header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 16:12
S68	827	header with translate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 16:12

EAST Search History

S69	198	S63 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 16:12
S70	683	S68 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 18:05
S71	124	S70 and bridg$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 16:13
S72	6147	370/401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 16:21
S73	52	S72 and bridg$3 with (different dissimilar disparate distinct) with (media channel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 16:21
S74	35	S73 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 16:22
S75	159	virtual adj bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 18:04
S76	120	S75 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 18:05
S77	44	(bridg$3 translat$3) with (different dissimilar disparate distinct) with (media channel interface) with ethernet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 14:14
S78	31	S77 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 15:28

EAST Search History

S79	37	metadata with ethernet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 15:56
S80	25	S79 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 15:40
S81	0	(ethernet adj header) with (on adj top) with packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 15:40
S82	253	(ethernet adj header) with (add$5) with packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 15:40
S83	177	S82 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 15:59
S84	1	metadata with (ethernet adj header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 16:16
S85	2	metadata same (ethernet adj header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 15:58
S86	59	add with (ethernet adj header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 15:58
S87	33	S86 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 17:23
S88	37	metadata with (ethernet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 17:02

S89	2	"5490252".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 17:21
S90	225	(generic canonical internal common neutral) with format with ethernet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 07:01
S91	185	S90 and (@ad<="20030827" or @rlad<="20030827")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 17:23